




2026

PRODUCT CATALOG

Table of Contents

Refrigeration	Pages 4 - 22
Ice Machines	Pages 24 - 28
Gas Cooking Equipment	Pages 30 - 48
Electric Cooking Equipment	Pages 50 - 68
Tables & Stands	Pages 70 - 73
Sinks & Accessories	Pages 74 - 83
Plumbing	Pages 84 - 86
Wire Shelving	Pages 87 - 92
Aluminum Racks	Page 93
Casters & Inserts	Page 94
Janitorial	Page 95



REFRIGERATION





Stainless Steel Reach-In Refrigerators

Features & Benefits:

- Stainless steel interior
- Electronic thermostat and digital LED temperature display
- High efficiency CFC free insulation
- Stainless steel front and sides (except glass door)
- Self-closing doors with full length handle, remain open past 90°
- 3 shelves per door
- Shipped with casters not installed
- 3 year parts & labor warranty
- 5 year compressor part warranty



One Door Refrigerators

Item #	Description	Dimensions	Price
RR1-19-HC	1 Door 19 cu. ft. Refrigerator	26.8" W x 25.6" D x 82.3" H	
RR1-HC-T	1 Door 23 cu. ft. Refrigerator	27" W x 33" D x 82.3" H	



Two Door Refrigerators

Item #	Description	Dimensions	Price
RR2-35-HC	2 Door 35 cu. ft. Refrigerator	39.5" W x 32.7" D x 82.3" H	
RR2-HC-T	2 Door 49 cu. ft. Refrigerator	54" W x 33" D x 82.3" H	



Three Door Refrigerators

Item #	Description	Dimensions	Price
RR3-HC	3 Door 72 cu. ft. Refrigerator	81" W x 33" D x 82.3" H	

Solid Door Freezers



Stainless Steel Reach-In Freezers

Features & Benefits:

- Stainless steel interior
- Electronic thermostat and digital LED temperature display
- High efficiency CFC free insulation
- Stainless steel front and sides (except glass door)
- Self-closing doors with full length handle, remain open past 90°
- 3 shelves per door
- Shipped with casters not installed
- 3 year parts & labor warranty
- 5 year compressor part warranty



One Door Freezers

Item #	Description	Dimensions	Price
RF1-19-HC	1 Door 19 cu. ft. Freezer	26.8" W x 25.6" D x 82.3" H	
RF1-HC-T	1 Door 23 cu. ft. Freezer	27" W x 33" D x 82.3" H	



Two Door Freezers

Item #	Description	Dimensions	Price
RF2-35-HC	2 Door 35 cu. ft. Freezer	39.5" W x 32.7" D x 82.3" H	
RF2-HC-T	2 Door 49 cu. ft. Freezer	54" W x 33" D x 82.3" H	



Three Door Freezers

Item #	Description	Dimensions	Price
RF3-HC*	3 Door 72 cu. ft. Freezer	81" W x 33" D x 82.3" H	

*Single Phase 220 - 240 volts



Glass Door Reach-In Refrigerators - Stainless Steel

Features & Benefits:

- R290 HC refrigerant
- Electronic thermostat and digital LED temperature display
- High efficiency CFC free insulation
- Stainless steel front and sides
- Self-closing door
- Magnetic gasket can be replaced without any tools
- Heating element concealed in door frame to eliminate any condensation
- 4 Shelves per door
- 3 year parts & labor warranty
- 5 year compressor part warranty



One Glass Door Refrigerator

Item #	Description	Dimensions	Price
RR1G-HC	1 Door 23 cu. ft. Refrigerator	26.8" W x 31.9" D x 82.7" H	

Two Glass Door Refrigerator

Item #	Description	Dimensions	Price
RR2G-HC	2 Door 49 cu. ft. Refrigerator	53.9" W x 31.9" D x 82.7" H	

Value Series Refrigerators & Freezers



Value Series

Features & Benefits:

- White painted exterior finish with white ABS interior
- LED temperature display
- Heavy duty steel frame construction with food-safe ABS interior
- High efficiency CFC free insulation
- Field reversible door
- 4 adjustable shelves
- Ships with casters installed
- ETL sanitation approved - conforms to UL471, CSA C22.2 and NSF 7 standards
- 3 year parts & labor warranty
- 5 year compressor part warranty



Value Series Commercial Refrigerator

Item #	Description	Dimensions	Price
ER25-HC	1 Door White Refrigerator	30.6" W x 28.8" D x 78" H	

Value Series Commercial Freezer - Self Defrosting

Item #	Description	Dimensions	Price
EF25-HC	1 Door White Freezer	30.6" W x 28.8" D x 78" H	



Glass Door Black Merchandiser Refrigerators

Features & Benefits:

- Electronic thermostat and digital LED temperature display
- High efficiency CFC free insulation
- Self-closing, lockable door
- 3 shelves per door - GR(F)-12 & GR(F)-16
- 4 shelves per door - GR(F)-23 & GR(F)-48 & GR(F)(S)-72
- White powder-coated steel interior
- Black powder-coated steel; plastic top sign panel with lamp
- Stainless steel floor
- 3 year parts & labor warranty
- 5 year compressor part warranty



One Door Refrigerators

Item #	Description	Dimensions	Price
GR12B-HC	Black 1 Door 12 cu. ft. Refrigerator	25" W x 26" D x 61.8" H	
GR16B-HC	Black 1 Door 16 cu. ft. Refrigerator	25" W x 26" D x 74.8" H	
GR23B-HC	Black 1 Door 23 cu. ft. Refrigerator	27" W x 32" D x 79.5" H	



Two Door Refrigerator

Item #	Description	Dimensions	Price
GR48B-HC	Black 2 Door 48 cu. ft. Refrigerator	54" W x 32" D x 79.5" H	



Two Door Sliding Refrigerator

Item #	Description	Dimensions	Price
GR48SB-HC	Black 2 Door 48 cu. ft. Glass Slider	54" W x 30.7" D x 79.5" H	

Three Door Refrigerators

Item #	Description	Dimensions	Price
GR72B-HC	Black 3 Door 72 cu. ft. Refrigerator	81" W x 32" D x 79.5" H	



Three Door Sliding Refrigerator

Item #	Description	Size	Price
GR72SB-HC	Black 3 Door 72 cu. ft. Glass Slider	81" W x 30.7" D x 79.5" H	

Glass Door Black Merchandiser Freezers



Glass Door Black Merchandiser Freezers

Features & Benefits:

- Electronic thermostat and digital LED temperature display
- High efficiency CFC free insulation
- Self-closing, lockable door
- Triple pane glass doors on freezer
- 3 shelves per door - GR(F)-12 & GR(F)-16
- 4 shelves per door - GR(F)-23 & GR(F)-48 & GR(F)(S)-72
- White powder-coated steel interior
- Black powder-coated steel; plastic top sign panel with lamp
- Stainless steel floor
- 3 year parts & labor warranty
- 5 year compressor part warranty



One Door Freezers

Item #	Description	Dimensions	Price
GF23B-HC	Black 1 Door 23 cu. ft. Freezer	27" W x 32" D x 79.5" H	

Two Door Freezers

Item #	Description	Dimensions	Price
GF48B-HC	Black 2 Door 49 cu. ft. Glass Freezer	54" W x 32" D x 79.5" H	

Three Door Freezers

Item #	Description	Dimensions	Price
GF72B-HC*	Black 3 Door 72 cu. ft. Glass Freezer	81" W x 32" D x 79.5" H	

*Single Phase 220 - 240 volts



Sandwich Prep Tables

Features & Benefits:

- CFC free refrigerant & foam
- AISI 304 stainless steel framework construction
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Auto defrosting & auto evaporation of condensation water
- Magnetic gaskets can be replaced without any tool
- Stainless steel pans & plastic cutting board are included
- Unit ships with casters installed (2 brake & 2 non brake)
- 3 year parts & labor warranty
- 5 year compressor part warranty



Sandwich Prep Tables

Item #	Description	Dimensions	Price
SP29-8-HC-T	8 Pan Prep Unit	29" W x 30" D x 43.2" H	
SP36-10-HC-T	10 Pan Prep Unit	36.2" W x 30" D x 43.2" H	
SP48-12-HC-T	12 Pan Prep Unit	48.2" W x 30" D x 43.2" H	
SP60-16-HC-T	16 Pan Prep Unit	61.2" W x 30" D x 43.2" H	
SP72-20-HC-T	20 Pan Prep Unit	71.7" W x 30" D x 43.2" H	

Mega Top Sandwich Prep Tables



Mega Top Sandwich Prep Tables

Features & Benefits:

- CFC free refrigerant & foam
- AISI 304 stainless steel framework construction
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Auto defrosting & auto evaporation of condensation water
- Magnetic gaskets can be replaced without any tool
- Stainless steel pans & plastic cutting board are included
- Unit ships with casters installed (2 brake & 2 non brake)
- 3 year parts & labor warranty
- 5 year compressor part warranty



Mega Top Sandwich Prep Tables

Item #	Description	Dimensions	Price
SP29-12M-HC-T	12 Pan Prep Unit	27" W x 30" D x 43.2" H	
SP36-15M-HC-T	15 Pan Prep Unit	36.4" W x 30" D x 43.2" H	
SP48-18M-HC-T	18 Pan Prep Unit	48.2" W x 30" D x 43.2" H	
SP60-24M-HC-T	24 Pan Prep Unit	61.2" W x 30" D x 43.2" H	
SP72-30M-HC-T	30 Pan Prep Unit	71.7" W x 30" D x 43.2" H	



Pizza Prep Tables

Features & Benefits:

- Electronic thermostat and digital LED temperature display
- Stainless steel front and sides
- Plastic pans and cutting board are included
- Magnetic gaskets
- Self closing doors with full length handle, remain open past 90°
- Unit ships with casters installed (2 brake & 2 non brake)
- 3 year parts & labor warranty
- 5 year compressor part warranty



Pizza Prep Tables

Item #	Description	Dimensions	Price
PP44-6-HC*	6 Pan Prep Unit	47.4" W x 32.3" D x 41.3" H	
PP71-9-HC*	9 Pan Prep Unit	70.8" W x 32.3" D x 41.3" H	
PP93-12-HC	12 Pan Prep Unit	94.2" W x 32.3" D x 41.3" H	

New Overshelves Available:

* PPOS-44 fits PP44-6-HC

* PPOS-67 fits PP71-9-HC



Chef Bases



Chef Bases

Features & Benefits:

- CFC free refrigerant and foam
- Stainless steel framework construction
- Electronic thermostat and digital LED temperature display
- Auto defrosting and auto evaporation of condensation
- Magnetic gaskets
- Unit ships with casters installed (2 brake & 2 non brake)
- 3 year parts & labor warranty
- 5 year compressor part warranty



Chef Bases

Item #	Description	Dimensions	Price
CB36-HC	2 Drawer 36 in. Chef Base	38" W x 31.9" D x 26" H	
CB48-HC	2 Drawer 48 in. Chef Base	50" W x 31.9" D x 26" H	
CB60-HC	2 Drawer 60 in. Chef Base	62" W x 31.9" D x 26" H	
CB72-HC	4 Drawer 72 in. Chef Base	74" W x 31.9" D x 26" H	



Undercounter Refrigerators

Features & Benefits:

- HC refrigerant
- CFC free refrigerant & foam
- AISI 304 stainless steel framework construction
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Auto defrosting & auto evaporation of condensation water
- Magnetic gaskets can be replaced without any tool
- Unit ships with casters installed (2 brake & 2 non brake)
- 3 year parts & labor warranty
- 5 year compressor part warranty



Undercounter Refrigerators

Item #	Description	Dimensions	Price
UCR-26-HC-T	6.5 cu. ft. Refrigerator	27.5" W x 30" D x 31.5" H	
UCR-27-HC-T*	6.5 cu. ft. Refrigerator	27.8" W x 30" D x 35.5" H	
UCR-36-HC-T*	7.7 cu. ft. Refrigerator	36.4" W x 30" D x 35.5" H	
UCR-48-HC-T*	12 cu. ft. Refrigerator	48.2" W x 30" D x 35.5" H	
UCR-60-HC-T*	15.5 cu. ft. Refrigerator	61" W x 30" D x 35.5" H	
UCR-72-HC-T*	18 cu. ft. Refrigerator	71.5" W x 30" D x 35.5" H	



Undercounter Freezers



Undercounter Freezers

Features & Benefits:

- HC refrigerant
- CFC free refrigerant & foam
- AISI 304 stainless steel framework construction
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Auto defrosting & auto evaporation of condensation water
- Magnetic gaskets can be replaced without any tool
- Unit ships with casters installed (2 brake & 2 non brake)
- 3 year parts & labor warranty
- 5 year compressor part warranty



Undercounter Freezers

Item #	Description	Dimensions	Price
UCF-26-HC-T	6.5 cu. ft. Freezer	27.5" W x 30" D x 31.5" H	
UCF-27-HC-T*	6.5 cu. ft. Freezer	27.8" W x 30" D x 35.5" H	
UCF-36-HC-T*	7.7 cu. ft. Freezer	36.4" W x 30" D x 35.5" H	
UCF-48-HC-T*	12 cu. ft. Freezer	48.2" W x 30" D x 35.5" H	
UCF-60-HC-T*	15.5 cu. ft. Freezer	61" W x 30" D x 35.5" H	
UCF-72-HC-T*	18 cu. ft. Freezer	71.5" W x 30" D x 35.5" H	



Solid Door Chest Freezers

Features & Benefits:

- Temperature display
- Door lid light
- Easy access drain located on front
- Strong and durable well placed handle
- Internal round edge design for easy cleaning
- Balanced hinge door design to hold from 35° to 70° angles
- Quick to reach freezing temp
- Quiet running design
- Comes with locking lid
- 3 year parts & labor warranty
- 5 year compressor part warranty



Solid Door Chest Freezers

Item #	Description	Dimensions	Price
SWCF-7	7.1 cu. ft. Solid Door Chest Freezer	37.52" W x 23.09" D x 34.25" H	
SWCF-14	14.2 cu. ft. Solid Door Chest Freezer	54.92" W x 28.94" D x 35.77" H	
SWCF-17	17.7 cu. ft. Solid Door Chest Freezer	70.67" W x 28.94" D x 35.77" H	
SWCF-21	21.2 cu. ft. Solid Door Chest Freezer	78.54" W x 28.94" D x 35.77" H	

Beer Dispensers



Beer Dispensers

Features & Benefits:

- R290 HC refrigerant
- CFC free refrigerant and foam
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Self-closing door(s) with locks
- Adjustable heavy duty PVC coated shelves
- Magnetic gasket can be replaced without any tools
- Stainless steel top
- Interior: 430 stainless steel bottom, walls and ceiling
- Exterior: corrosion resistant vinyl on steel in black
- Internal design accommodates a variety of beer kegs
- Installation board is removable for easy access to condenser coil
- 3" Diameter stainless steel insulated beer column. Designed to channel cold air directly into insulated beer column, thus maximizing your draft beer profits by reduced foaming.
- Ships with castors
- 3 year parts & labor warranty
- 5 year compressor part warranty



Beer Dispensers

Item #	Description	Dimensions	Price
DD24-1-HC	24 in. Unit / 1 Tower	24.1" W x 31.87" D x 38.66" H	
DD49-1-HC	49 in. Unit / 1 Tower	49.1" W x 24.4" D x 36.4" H	
DD49-2-HC	49 in. Unit / 2 Tower	49.1" W x 24.4" D x 36.4" H	
DD61-1-HC	61 in. Unit / 1 Tower	61.06" W x 24.4" D x 36.4" H	
DD61-2-HC	61 in. Unit / 2 Tower	61.06" W x 24.4" D x 36.4" H	
DD73-2-HC	73 in. Unit / 2 Tower	73.07" W x 24.4" D x 36.4" H	



Glass Frosters

Features & Benefits:

- R290 HC refrigerant
- Forced-air cooling
- Stainless Steel interior
- Steel exterior, painted black
- Chills glass and plate at -10°F
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Two shelves and bottom rack standard
- Lockable top
- Built-in condensate evaporator system
- No floor drain or additional plumbing is needed
- 3 year parts & labor warranty
- 5 year compressor part warranty



Glass Frosters

Item #	Description	Dimensions	Price
GFR24	24 in. Glass Froster	24.1" W x 27" D x 34.8" H	
GFR36	36 in. Glass Froster	36.9" W x 27" D x 34.8" H	

Bottle Coolers



Bottle Coolers

Features & Benefits:

- R290 HC refrigerant
- CFC free refrigerant & foam
- Forced-air cooling
- Adjustable dividers included
- Self-defrosting evaporator
- Bottle cap opener & cap catcher standard
- Locking stainless steel sliding doors
- Stainless steel interior
- Steel painted black exterior, stainless steel sliding doors & landing edge
- Ships with casters
- 3 year parts & labor warranty
- 5 year compressor part warranty



Bottle Coolers

Item #	Description	Dimensions	Price
BC-36-HC	36 in. Unit	36.8" W x 27" D x 35" H	
BC-50-HC	49 in. Unit	49.4" W x 27" D x 35" H	
BC-65-HC	64 in. Unit	64.3" W x 27" D x 35" H	
BC-95-HC	95 in. Unit	95.3" W x 27" D x 35" H	



Solid Door Backbar Bottle Coolers

Features & Benefits:

- R290 HC refrigerant
- CFC free refrigerant & foam
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Self-closing solid door
- Magnetic gasket can be replaced without any tools
- Stainless steel top
- 304 stainless steel interior
- Black powder-coated steel exterior
- Ships with casters
- 3 year parts & labor warranty
- 5 year compressor part warranty



Solid Door Backbar Bottle Coolers

Item #	Description	Dimensions	Price
BB2-24-HC	49 in. Unit	49.1" W x 24.4" D x 36.2" H *	
BB3-24-HC	61 in. Unit	61.1" W x 24.4" D x 36.2" H *	
BB4-24-HC	73 in. Unit	73.1" W x 24.4" D x 36.2" H *	

* Height (H) WITHOUT Casters

Glass Door Backbar Bottle Coolers



Glass Door Backbar Bottle Coolers

Features & Benefits:

- R290 HC refrigerant
- CFC free refrigerant & foam
- Electronic thermostat & digital LED temperature display for accurate control & easy reading
- Self-closing glass door
- Magnetic gasket can be replaced without any tools
- Stainless steel top
- 304 stainless steel interior
- Black powder-coated steel exterior
- Ships with casters
- 3 year parts & labor warranty
- 5 year compressor part warranty



Glass Door Backbar Bottle Coolers

Item #	Description	Dimensions	Price
BB2-24G-HC	49 in. Unit	49.1" W x 24.4" D x 36.2" H *	
BB3-24G-HC	61 in. Unit	61.1" W x 24.4" D x 36.2" H *	
BB4-24G-HC	73 in. Unit	73.1" W x 24.4" D x 36.2" H *	

* Height (H) WITHOUT Casters



Top Rail Refrigerators


Features & Benefits:

- CFC free refrigerant and foam
- 1/6 pans included
- 304 stainless steel interior
- 304 stainless steel exterior
- 3 year parts & labor warranty
- 5 year compressor part warranty



Top Rail Refrigerators

Item #	Description	Dimensions	Price
TR46-HC	46 in. Unit	45.78" W x 17.44" D x 13.5" H	
TR60-HC	59 in. Unit	59.96" W x 17.44" D x 13.5" H	



ICE MACHINES





Undercounter Ice Machines - 80 lb & 120 lb

Features & Benefits:

- SWUC-80 H/F Produces up to 80 lb of cube ice per 24 hours, built-in storage bin holds approximately 33 lb of ice
- SWUC-120 H/F Produces up to 120 lb of cube ice per 24 hour, built-in storage bin holds approximately 40 lb of ice
- Compact undercounter design ideal for bars, restaurants, and cafes
- Air-cooled refrigeration system for efficient performance and easier installation
- Uses R290 eco-friendly refrigerant
- Stainless steel exterior cabinet for durability and easy cleaning
- Front intake and exhaust allow flexible undercounter installation
- Integrated electronic controls with status indicators
- Smart LED lighting with remote included
- Automatic ice-making cycle with bin-full shutoff
- Includes scoop and internal ice baffle for easier serving
- Adjustable front leveling legs for quick setup on uneven floors
- Service-friendly layout for easier access to condenser and components
- 3 year parts & labor warranty
- 5 year compressor part warranty



Undercounter Ice Machines

Item #	Description	Dimensions	Price
SWUC-80F	80 lb Undercounter - Full Cube	19.76" W x 17.71" D x 36.34" H	
SWUC-80H	80 lb Undercounter - Half Cube	19.76" W x 17.71" D x 36.34" H	
SWUC-120F	120 lb Undercounter - Full Cube	19.69" W x 30.04" D x 36.34" H	
SWUC-120H	120 lb Undercounter - Half Cube	19.69" W x 30.04" D x 36.34" H	

Undercounter Ice Machines



Undercounter Ice Machines - 160 lb , 210 lb, & 280 lb

Features & Benefits:

- SWUC-160 H/F Produces up to 160 lb of cube ice per 24 hour, built-in storage bin holds approximately 80 lb of ice
- SWUC-210 H/F Produces up to 210 lb of cube ice per 24 hour, built-in storage bin holds approximately 80 lb of ice
- SWUC-280 H/F Produces up to 280 lb of cube ice per 24 hour, built-in storage bin holds approximately 80 lb of ice
- Compact undercounter design ideal for bars, restaurants, and cafes
- Air-cooled refrigeration system for efficient performance and easier installation
- Uses R290 eco-friendly refrigerant
- Stainless steel exterior cabinet for durability and easy cleaning
- Front intake and exhaust allow flexible undercounter installation
- Integrated electronic controls with status indicators
- Smart LED lighting with remote included
- Automatic ice-making cycle with bin-full shutoff
- Includes scoop and internal ice baffle for easier serving
- Adjustable front leveling legs for quick setup on uneven floors
- Service-friendly layout for easier access to condenser and components
- 3 year parts & labor warranty
- 5 year compressor part warranty



Undercounter Ice Machines

Item #	Description	Dimensions	Price
SWUC-160F	160 lb Undercounter - Full Cube	26" W x 27.83" D x 38.94" H	
SWUC-160H	160 lb Undercounter - Half Cube	26" W x 27.83" D x 38.94" H	
SWUC-210F	210 lb Undercounter - Full Cube	26" W x 27.83" D x 38.94" H	
SWUC-210H	210 lb Undercounter - Half Cube	26" W x 27.83" D x 38.94" H	
SWUC-280F	280 lb Undercounter - Full Cube	26" W x 27.83" D x 38.94" H	
SWUC-280H	280 lb Undercounter - Half Cube	26" W x 27.83" D x 38.94" H	



Cube Wide Head Ice Machines

Features & Benefits:

- SWM22-350 F/H produces up to 350 lb of cube ice per 24 hours
- SWM30-500 F/H produces up to 500 lb of cube ice per 24 hours
- Storage bin sold separately
- Design ideal for bars, restaurants, and cafes
- Air-cooled refrigeration system for efficient performance and easier installation
- Uses R290 eco-friendly refrigerant
- Stainless steel exterior cabinet for durability and easy cleaning
- Integrated electronic controls with status indicators
- Smart LED lighting with remote included
- Automatic ice-making cycle with bin-full shutoff
- Adjustable front leveling legs for quick setup on uneven floors
- Service-friendly layout for easier access to condenser and components
- 3 year parts & labor warranty
- 5 year compressor part warranty



Cube Wide Head Ice Machines

Item #	Description	Dimensions	Price
SWM22-350F	350 lb 22" Wide Head - Full Cube	22.05" W x 23.39" D x 22.27" H	
SWM22-350H	350 lb 22" Wide Head - Half Cube	22.05" W x 23.39" D x 22.27" H	
SWM30-500F	500 lb 30" Wide Head - Full Cube	73.1" W x 24.4" D x 36.2" H *	
SWM30-500H	500 lb 30" Wide Head - Half Cube	61.1" W x 24.4" D x 36.2" H *	

Cube Wide Head Ice Machines



Cube Wide Head Ice Machines

Features & Benefits:

- SWM22-550 SF/CN produces up to 550 lb of cube ice per 24 hours
- SWM30-700 F/H produces up to 700 lb of cube ice per 24 hours
- SWM30-1000 F/H produces up to 1000 lb of cube ice per 24 hours
- Storage bin sold separately
- Design ideal for bars, restaurants, and cafes
- Air-cooled refrigeration system for efficient performance and easier installation
- Uses R290 eco-friendly refrigerant
- Stainless steel exterior cabinet for durability and easy cleaning
- Integrated electronic controls with status indicators
- Smart LED lighting with remote included
- Automatic ice-making cycle with bin-full shutoff
- Adjustable front leveling legs for quick setup on uneven floors
- Service-friendly layout for easier access to condenser and components
- 3 year parts & labor warranty
- 5 year compressor part warranty



Undercounter Ice Machines

Item #	Description	Dimensions	Price
SWM22-550SF	550 lb 22" Wide Head - Flake Ice	22.00" W x 24.9" D x 24.1" H	
SWM22-550CN	550 lb 22" Wide Head - Nugget Ice	22.00" W x 24.9" D x 24.1" H	
SWM30-700F	700 lb 30" Wide Head - Full Cube	29.92" W x 23.39" D x 22.24" H	
SWM30-700H	700 lb 30" Wide Head - Half Cube	29.92" W x 23.39" D x 22.24" H	
SWM30-1000F	1000 lb 30" Wide Head - Full Cube	29.92" W x 23.39" D x 29.06" H	
SWM30-1000H	1000 lb 30" Wide Head - Half Cube	29.92" W x 23.39" D x 29.06" H	



Ice Bins & Dispenser Bins

Features & Benefits:

Ice Bins

- Commercial-grade ice storage bin for modular ice machines
- Insulated cabinet helps slow ice melt during peak use
- Heavy-duty exterior built for foodservice environments
- Smooth interior promotes easy cleaning and sanitation
- Sloped bin bottom directs meltwater to drain outlet
- Front-opening bin door allows quick, ergonomic ice access
- 3 year parts & labor warranty


Dispenser Bins

- Designed for use with remote modular ice machines
- Push-button ice dispensing for controlled portioning
- Insulated cabinet helps reduce ice melt
- Front-access design for easier service and cleaning
- Built for high-traffic foodservice environments
- Design ideal for bars, restaurants, and cafes
- Stainless steel exterior cabinet for durability and easy cleaning
- 3 year parts & labor warranty



Ice Bins & Dispenser Bins

Item #	Description	Dimensions	Price
SWB22-305	305 lb 22" Ice Bin	22.05" W x 33.90" D x 44.02" H	
SWB30-445	445 lb 30" Ice Bin	29.92" W x 33.90" D x 44.02" H	
SWB48-705	705 lb 48" Ice Bin	48" W x 34.30" D x 46.98" H	
SWBA22-30	22" to 30" Bin Adaptor		
SWBA30-48	30" to 48" Bin Adaptor		
SWBD22-130	130 lb 22" Dispenser Bin	22.05" W x 33.66" D x 53.54" H	
SWBD30-220	220 lb 30" Dispenser Bin	61" W x 30" D x 35.5" H	



GAS COOKING





Gas Fryers

Features & Benefits:

- 30,000 BTU per tube and thermostat with a temperature range of 200°F to 400°F
- Stainless steel front, top & header
- Stainless steel door with integral liner & recessed handle
- Stainless steel fry tank with peened finish; cold zone in fry tank
- Double-rod stainless steel basket hanger
- 1-1/4" full-port drain valve for easy cleaning
- All fryers have drain tube racks and wire mesh fry baskets
- 6" stainless steel legs with 1" adjustability
- 1 year parts & labor warranty
- 2 year pot part only warranty



Gas Fryers

Item #	Description	Dimensions	Price
3 Tube			
SGF-40N	3 Tube Natural 35 to 40 lbs.	15.5" W x 30.2" D x 46.5" H	
SGF-40L	3 Tube LP 35 to 40 lbs.	15.5" W x 30.2" D x 46.5" H	
4 Tube			
SGF-50N	4 Tube Natural 50 lbs.	15.5" W x 30.2" D x 46.5" H	
SGF-50L	4 Tube LP 50 lbs.	15.5" W x 30.2" D x 46.5" H	
5 Tube			
SGF-70N	5 Tube Natural 75 to 80 lbs.	21" W x 30.2" D x 46.5" H	
SGF-70L	5 Tube LP 75 to 80 lbs.	21" W x 30.2" D x 46.5" H	

Regulator is included. 3/4" hose required.

1/2" gas inlet.

Optional caster now available (brake only, sold each).



5SB - 3535



Casters for Fryers & Ranges

Item #	Description	Price
5SB-3535	3 1/2" for Fryer (Brake Only, Sold Each)	



Fryer Joiner Strip & Fryer Splash Guard

Item #	Description	Price
FJS	Fryer Joiner Strip SGF (40, 50, 70)	
FSG-1820-3	18" x 20.5" Fryer Splash Guard	



Tank Covers

Item #	Description	Price
TC-90/120	SGF (40, 50) Tank Cover	
TC-150	SGF-70 Tank Cover	



Wall Mount Sidesplashes

Item #	Description	Price
SSP-2420	24" x 20" Wall Mount Sidesplash	
SSP-2428	24" x 28" Wall Mount Sidesplash	
SSP-3020	30" x 20" Wall Mount Sidesplash	
SSP-3028	30" x 28" Wall Mount Sidesplash	



Gas Convection Oven

Features & Benefits:

- 54,000 BTU per oven cavity
- Stainless front with fully visible glazed doors
- Porcelain interior for easy cleaning
- 4 Racks, 13 rack positions
- Automatic igniting system
- Solid state temperature controller
- 60 minute timer
- 120V dual speed motor
- Interior light
- A gas conversion kit is included should conversion be required
- 3/4" gas inlet
- Single unit (SGCO-1) - strong, stable angular legs, double stacking options
- Double stack unit - stacking kit with casters included (assembly required)



Gas Convection Oven

Item #	Description	Dimensions	Price
SGCO-1	Single Deck Gas Convection Oven	38.12" W x 43.2" D x 57.32" H	
SGCO-1-LP	Single Deck Gas Convection Oven for LP	38.12" W x 43.2" D x 57.32" H	
SGCO-1-V	Single Deck Gas Convection Oven	38.12" W x 43.2" D x 57.32" H	
SGCO-1-LP-V	Single Deck Gas Convection Oven for LP	38.12" W x 43.2" D x 57.32" H	
STK-2	Convection Oven Stacking Kit	n/a	
STK-2-V	Convection Oven Stacking Kit	n/a	

Gas Ranges & Range With Convection Oven



Gas Ranges 24" / 36" / 48" / 60"

Features & Benefits:

- SGR-4B: 4 open top burners, 1 oven
- SGR-6B: 6 open top burners, 1 oven
- SGR-6B-C: 6 open top burners, 1 convection oven
- SGR-8B: 8 open top burners, 2 ovens
- SGR-10B: 10 open top burners, 2 ovens
- 30,000 BTU per open top burner
- 31,000 BTU per oven with U-shaped burner
- Fully welded frame for stability
- Stainless steel front, back riser and sides
- Durable stainless steel pilot
- Covered pilot and burner covers to prevent clogging from spillage
- Easily removable heavy duty cast grates /12" x 12"
- Pull out crumb tray with rounded edges to prevent heat transfer
- 6" adjustable heavy duty stainless steel legs
- Full size sheet pan fits side-to-side or front-to-back
- Oven thermostat adjusts from 250° to 550° F



Gas Ranges

Item #	Description	Dimensions	Price
SGR-4B	14 Burner 24" Range	24" W x 32.6" D x 60" H	
SGR-4B-LP	14 Burner 24" Range for LP	24" W x 32.6" D x 60" H	
SGR-6B	6 Burner 36" Range	36" W x 32.6" D x 60" H	
SGR-6B-LP	6 Burner 36" Range for LP	36" W x 32.6" D x 60" H	
SGR-6B-C	6 Burner 36" Range/Convection	36" W x 35" D x 60" H	
SGR-8B	8 Burner 48" Range	48" W x 32.5" D x 59.75" H	
SGR-8B-LP	8 Burner 48" Range for LP	48" W x 32.5" D x 59.75" H	
SGR-10B	10 Burner 60" Range	60" W x 32.6" D x 60" H	
SGR-10B-LP	10 Burner 60" Range for LP	60" W x 32.6" D x 60" H	

Units ship configured for the specified gas type and include a conversion kit for the alternate gas. Regulator is included. 3/4" gas inlet.



5SB - 4040

Optional caster now available (brake only, sold each).



Gas Ranges With Griddle

Features & Benefits:

- SGR-2B-24G: 2 open top burners, 24" griddle, 1 oven
- SGR-4B-12G: 4 open top burners, 12" griddle, 1 oven
- SGR-6B-24G: 6 open top burners, 24" griddle, 2 ovens
- SGR-6B-24RG: 6 open top burners, 24" raised griddle w/broiler, 2 ovens
- 30,000 BTU per open top burner
- 31,000 BTU per oven with U-shaped burner
- Fully welded frame for stability
- Stainless steel front, back riser and sides
- Covered pilot and burner covers to prevent clogging from spillage
- Durable stainless steel pilot
- Easily removable heavy duty cast grates /12" x 12"
- Pull out crumb tray with rounded edges to prevent heat transfer
- 6" adjustable heavy duty stainless steel legs
- Full size sheet pan fits side-to-side or front-to-back
- Oven thermostat adjusts from 250° to 550° F



Gas Ranges With Griddle

Item #	Description	Dimensions	Price
SGR-2B-24G	2 Burner / 24" Griddle	36" W x 32.6" D x 60" H	
SGR-2B-24G-LP	2 Burner / 24" Griddle for LP	36" W x 32.6" D x 60" H	
SGR-4B-12G	4 Burner / 12" Griddle	36" W x 32.6" D x 60" H	
SGR-4B-12G-LP	4 Burner / 12" Griddle for LP	36" W x 32.6" D x 60" H	
SGR-6B-24G	6 Burner / 24" Griddle	60" W x 32.6" D x 60" H	
SGR-6B-24G-LP	6 Burner / 24" Griddle for LP	60" W x 32.6" D x 60" H	
SGR-6B-24RG	6 Brn/24" Raised Griddle/Broiler	60" W x 32.6" D x 60" H	
SGR-6B-24RG-LP	6 Brn/24" Raised Griddle/Broiler for LP	60" W x 32.6" D x 60" H	

Units ship configured for the specified gas type and include a conversion kit for the alternate gas. Regulator is included. 3/4" gas inlet. Optional caster now available (brake only, sold each).



5SB - 4040

Gas Range Add-On Portable Griddles & Griddle Tops



Add-On Portable Griddles


Features & Benefits:

- Portable grill
- Heavy Duty 7 gauge stainless steel
- 3/4" lip on sides to prevent spillage



Add-On Portable Griddles

Item #	Description	Dimensions	Price
PG1423	14" Portable Griddle 7GA Steel	14" W x 23" D x 3/4" H	
PG1423S	14" Portable Griddle 7GA Stainless Steel	14" W x 23" D x 3/4" H	
PG2323	23" Portable Griddle 7GA Steel	23" W x 23" D x 3/4" H	
PG2323S	23" Portable Griddle 7GA Stainless Steel	23" W x 23" D x 3/4" H	



Add-On Griddle Tops

Features & Benefits:

- Top fits on 2 burner commercial range
- 7 gauge metal griddle pan
- 7 gauge metal hook
- 12 gauge, 304 stainless adjustable frame
- 12 gauge aluminum handle bar
- 20 gauge, 304 stainless removable grease tray



Add-On Griddle Tops

Item #	Description	Dimensions	Price
AG12	12" Add-On Griddle Top	12" W x 27" D x 4" H	
AG24	24" Add-On Griddle Top	24" W x 27" D x 4" H	



Add-On Broiler Tops

Features & Benefits:

- Top fits on 2 burner commercial range
- 7 gauge metal griddle pan
- 7 gauge metal hooks
- 12 gauge, 304 stainless adjustable frame
- 12 gauge aluminum handle bar
- 20 gauge, 304 stainless removable grease tray



Add-On Broiler Top

Item #	Description	Dimensions	Price
AB12	12" Add-On Broiler Top	12" W x 27" D x 4" H	
AB24	24" Add-On Broiler Top	24" W x 27" D x 4" H	



Add-On Griddle & Broiler Top

Features & Benefits:

- Top fits on 4 burner commercial range
- 7 gauge metal griddle pan
- 7 gauge metal hooks
- 12 gauge, 304 stainless adjustable frame
- 12 gauge aluminum handle bar
- 20 gauge, 304 stainless removable grease tray



Add-On Griddle & Broiler Top

Item #	Description	Dimensions	Price
ABG24SS	Add-On Griddle & Broiler Top	24" W x 27" D x 4" H	



Gas Griddles With Oven

Features & Benefits:

- Stainless steel burner, each 30,000 BTU/hr
- Thermostat (250°F- 550°F) controlled oven
- Thermal coupling safety valve for the oven
- Flame failure control valve
- Welded frame structure for best stability
- Stainless steel front, galvanized sides
- Stainless steel oven door with insulation
- Stainless steel handle for bottom oven
- Adjustable heavy duty legs
- Large capacity grease/oil collector
- Kick plate at the bottom for easy access for servicing
- 3/4" NPT rear gas connection



Gas Griddles With Oven

Item #	Description	Dimensions	Price
SWGO-24	24" Gas Griddle With Oven	24" W x 32.6" D x 60" H	
SWGO-24-LP	24" Gas Griddle With Oven for LP	24" W x 32.6" D x 60" H	
SWGO-36	36" Gas Griddle With Oven	36" W x 32.6" D x 60" H	
SWGO-36-LP	36" Gas Griddle With Oven for LP	36" W x 32.6" D x 60" H	

Gas Salamanders



Gas Salamanders

Features & Benefits:

- Stainless steel structure
- 6 cast iron burners
- Infrared burner can cook food faster
- Spring-balanced lifting system, easy to adjust
- Grills can be rolled out for easy loading, unloading, and cleaning
- Grill stopper to prevent grill falling off
- 5-height locking position for different temperatures
- Continuous pilot for instant ignition of main burner
- Stainless steel crumb tray to collect dropped food
- Wall mounting kit included for saving kitchen space
- Can match 36" or 60" ranges (kit to be ordered additionally)
- 3/4" NPT rear gas connections



Gas Salamanders

Item #	Description	Dimensions	Price
SGSB-24	24" Gas Salamander	23.9" W x 18.9" D x 23.31" H	
SGSB-24-LP	24" Gas Salamander for LP	23.9" W x 18.9" D x 23.31" H	
SGR-24-SMB	24" Range Salamander Mounting Bracket		
SGSB-36	36" Gas Salamander	36" W x 19" D x 16.5" H	
SGSB-36-LP	36" Gas Salamander for LP	36" W x 19" D x 16.5" H	
SGR-36-SMB	36" Range Salamander Mounting Bracket		
SGR-36-SMB-C	36" Convection Range Salamander Mounting Bracket		
SGSB-48	48" Gas Salamander	47.99" W x 18.97" D x 19.33" H	
SGSB-48-LP	48" Gas Salamander for LP	47.99" W x 18.97" D x 19.33" H	
SGR-48-SMB	48" Range Salamander Mounting Bracket		
SGR-60-SMB	60" Range Salamander Mounting Bracket		



Gas Pizza Ovens

Features & Benefits:

- Stainless steel structure
- Stainless steel U shape burner
- 32,000 BTU
- Thermostat (120°F- 650°F) controlled
- Insulation outside chamber
- Hearth deck, perfect for pizza
- Three decks
- 3 positions with 2 3/4" distance in between
- Spring door system
- Stainless steel door interior and bottom plate
- V shape baffle for best heat distribution
- 3/4" NPT rear gas connection



Gas Pizza Ovens

Item #	Description	Dimensions	Price
SWPO-31	Gas Pizza Oven	36.25" W x 26.42" D x 29.57" H	
SWPO-31-LP	Gas Pizza Oven for LP	36.25" W x 26.42" D x 29.57" H	
SWPO-31-STK	Gas Pizza Oven Stacking Kit		



Gas Hose / Restraining Kits

Features & Benefits:

- Flexible stainless steel corrugated tube
- Stainless steel braid for stretch prevention
- PVC coating prevents grease buildup
- Fittings allow for 360° rotation at both ends
- Two 3/4" Female x 3/4" Male street elbow
- Restraining cable with PVC coating
- 3/4" NPT full port gas shut off valve
- Quick disconnect for easy cleaning of equipment
- Easy installation

Gas Hose / Restraining Kits

Item #	Description	Price
SWG HK-36	3/4" Fitting 36" Hose w/ Restraining Kit	
SWG HK-48	3/4" Fitting 48" Hose w/ Restraining Kit	
FS-SW-034	Gas Swivel	



Gas Radiant Charbroilers

Features & Benefits:

- 35,000 BTUs per burner provide intense heat
- Durable, attractive stainless steel construction
- Front edge is cool to the touch for safe cooking
- Stainless steel U-style burner optimizes heat control & distribution
- Heavy-duty 10-gauge stainless steel radiant for maximum heat distribution
- Cast iron grates can be adjusted for three different grilling positions
- Perfect for a variety of food on one unit
- Reversible cast iron grates make for varied grill marks
- Easily adjustable pilots with front access for quick lighting
- Back & side splashes offer protection against nasty spills
- Unit serviceable from the front
- Stainless steel legs have adjustable non-skid feet
- A gas conversion kit is included should conversion be required



Gas Radiant Charbroilers

Item #	Description	Dimensions	Price
SCBS-24	2 Burner Gas Radiant Charbroiler	24" W x 25.2" D x 15.3" H	
SCBS-24-LP	2 Burner Gas Radiant Charbroiler	24" W x 25.2" D x 15.3" H	
SCBS-36	3 Burner Gas Radiant Charbroiler	36" W x 25.2" D x 15.3" H	
SCBS-36-LP	3 Burner Gas Radiant Charbroiler for LP	36" W x 25.2" D x 15.3" H	
SCBS-48	4 Burner Gas Radiant Charbroiler	48" W x 25.2" D x 15.3" H	
SCBS-48-LP	4 Burner Gas Radiant Charbroiler	48" W x 25.2" D x 15.3" H	

Units ship configured for the specified gas type and include a conversion kit for the alternate gas.
 3/4" gas inlet.
 30" deep equipment stand recommended.

Gas Kebab Machines



Gas Kebab Machines

Features & Benefits:

- Stainless steel structure
- Individually controlled infrared burners
- Power up to 9,500 BTU per burner for natural gas
- Stainless steel heat shield on both sides
- Distance can be adjusted between cooking spit and burners
- Continuous pilot for instant ignition of main burner
- Stainless steel oil collector
- Designed for high performance and consistent results
- Heavy duty motors
- 3/4" NPT rear gas connection

Gas Kebab Machines

Item #	Description	Dimensions	Price
SWVB-3	Gas Kebab Machine (3 burners)	21.14" W x 25.15" D x 33.18" H	
SWVB-3-LP	Gas Kebab Machine (3 burners) for LP	21.14" W x 25.15" D x 33.18" H	
SWVB-4	Gas Kebab Machine (4 burners)	21.14" W x 25.15" D x 39.88" H	
SWVB-4-LP	Gas Kebab Machine (4 burners) for LP	21.14" W x 25.15" D x 39.88" H	



Gas Manual Griddles

Features & Benefits:

- Steel U-shape burner, each 30,000 BTU/hr for better heat distribution
- One control every 12"
- Standby pilot for easy start
- 3/4" thickness griddle plate
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Oil collector at the bottom
- A gas conversion kit is included should conversion be required
- Stainless steel in the front and sides



Gas Manual Griddles

Item #	Description	Dimensions	Price
SMGS-12	1 Burner Gas Manual Griddle	13.2" W x 25.2" D x 15.3" H	
SMGS-12-LP	1 Burner Gas Manual Griddle	13.2" W x 25.2" D x 15.3" H	
SMGS-24	2 Burner Gas Manual Griddle	24" W x 25.2" D x 15.3" H	
SMGS-24-LP	2 Burner Gas Manual Griddle for LP	24" W x 25.2" D x 15.3" H	
SMGS-36	3 Burner Gas Manual Griddle	36" W x 25.2" D x 15.3" H	
SMGS-36-LP	3 Burner Gas Manual Griddle for LP	36" W x 25.2" D x 15.3" H	
SMGS-48	4 Burner Gas Manual Griddle	48" W x 25.2" D x 15.3" H	
SMGS-48-LP	4 Burner Gas Manual Griddle for LP	48" W x 25.2" D x 15.3" H	
SMGS-60	5 Burner Gas Manual Griddle	60" W x 25.2" D x 15.3" H	
SMGS-60-LP	5 Burner Gas Manual Griddle for LP	60" W x 25.2" D x 15.3" H	

Units ship configured for the specified gas type and include a conversion kit for the alternate gas.
 3/4" gas inlet.
 30" deep equipment stand recommended.

Gas Thermostatic Griddles



Gas Thermostatic Griddles

Features & Benefits:

- Cast iron H-shape burners
- 30,000 BTU per burner
- Thermostatic control
- Fully welded stainless back and side splash
- Standby pilot for quick and easy start
- Removable stainless steel drip tray
- Zinc alloy knob with chrome coating
- Stainless steel adjustable heavy duty legs
- Durable, attractive stainless steel front and sides
- A gas conversion kit is included should conversion be required



Gas Thermostatic Griddles

Item #	Description	Dimensions	Price
STGS-12	1 Burner Gas Thermostatic Griddle	13.2" W x 25.2" D x 15.3" H	
STGS-12-LP	1 Burner Gas Thermostatic Griddle for LP	13.2" W x 25.2" D x 15.3" H	
STGS-24	2 Burner Gas Thermostatic Griddle	24" W x 25.2" D x 15.3" H	
STGS-24-LP	2 Burner Gas Thermostatic Griddle for LP	24" W x 25.2" D x 15.3" H	
STGS-36	3 Burner Gas Thermostatic Griddle	36" W x 25.2" D x 15.3" H	
STGS-36-LP	3 Burner Gas Thermostatic Griddle for LP	36" W x 25.2" D x 15.3" H	
STGS-48	4 Burner Gas Thermostatic Griddle	48" W x 25.2" D x 15.3" H	
STGS-48-LP	4 Burner Gas Thermostatic Griddle for LP	48" W x 25.2" D x 15.3" H	
STGS-60	5 Burner Gas Thermostatic Griddle	60" W x 25.2" D x 15.3" H	
STGS-60-LP	5 Burner Gas Thermostatic Griddle for LP	60" W x 25.2" D x 15.3" H	

Units ship configured for the specified gas type and include a conversion kit for the alternate gas.
 3/4" gas inlet.
 30" deep equipment stand recommended.



Gas Hot Plates

Features & Benefits:

- 30,000 BTU per burner
- Durable, attractive, stainless steel construction
- Front edge is cool to the touch for safe cooking
- Octagonal burners provide even heat distribution
- Heavy-duty, cast iron grates for maximum heat distribution
- Full-length, seamless drip pan
- Adjustable pilots with front access
- Unit serviceable from the front
- A gas conversion kit is included should conversion be required
- Stainless steel legs have adjustable, non-skid feet



Gas Hot Plates

Item #	Description	Dimensions	Price
SHPS-12	2 Burner Gas Hot Plate	12" W x 27.2" D x 11.28" H	
SHPS-12-LP	2 Burner Gas Hot Plate for LP	12" W x 27.2" D x 11.28" H	
SHPS-24	4 Burner Gas Hot Plate	24" W x 27.2" D x 11.28" H	
SHPS-24-LP	4 Burner Gas Hot Plate	24" W x 27.2" D x 11.28" H	
SHPS-36	6 Burner Gas Hot Plate	36" W x 27.2" D x 11.28" H	
SHPS-36-LP	6 Burner Gas Hot Plate for LP	36" W x 27.2" D x 11.28" H	

Units ship configured for the specified gas type and include a conversion kit for the alternate gas.

3/4" gas inlet.

30" deep equipment stand recommended.

Gas Stock Pots



Gas Stock Pots

Features & Benefits:

- Cast iron burner
- Natural gas 110,000 BTU
- Propane gas (LP) 85,000 BTU
- 3/4" gas inlet
- Heavy duty cast iron grate
- Stainless steel front and sides
- Standby pilot for quick and easy start
- Zinc alloy knob
- Stainless steel adjustable legs
- Crumb tray at bottom
- A gas conversion kit is included should conversion be required



Gas Stock Pots

Item #	Description	Dimensions	Price
SSSP-1	1 Burner Gas Stock Pot	18" W x 24.6" D x 20.4" H	
SSSP-1-LP	1 Burner Gas Stock Pot for LP	18" W x 24.6" D x 20.4" H	
SSSP-2	2 Burner Gas Stock Pot	18" W x 49.3" D x 20.4" H	
SSSP-2-LP	2 Burner Gas Stock Pot for LP	18" W x 49.3" D x 20.4" H	



Gas Steam Tables

Features & Benefits:

- Stainless steel housing
- 3100 BTU jet burner
- Stainless steel legs
- Stainless steel sturdy under-shelf
- Standby S/S pilot for easy start
- 7" wide full length polyethylene cutting board
- Outside insulation to maintain temperature
- 8" deep well to fit 6" depth food pan
- 1/2" NPT rear gas connections



Gas Steam Tables

Item #	Description	Dimensions	Price
SWGST-2	Gas Steam Table, 2 Bays-Open Well	30.56" W x 29.56" D x 32.92" H	
SWGST-2-LP	Gas Steam Table, 2 Bays-Open Well for LP	30.56" W x 29.56" D x 32.92" H	
SWGST-3	Gas Steam Table, 3 Bays-Open Well	44.37" W x 29.56" D x 32.92" H	
SWGST-3-LP	Gas Steam Table, 3 Bays-Open Well for LP	44.37" W x 29.56" D x 32.92" H	
SWGST-4	Gas Steam Table, 4 Bays-Open Well	58.34" W x 29.60" D x 32.92" H	
SWGST-4-LP	Gas Steam Table, 4 Bays-Open Well for LP	58.34" W x 29.60" D x 32.92" H	
SWGST-5	Gas Steam Table, 5 Bays-Open Well	72.3" W x 29.5" D x 33.5" H	
SWGST-5-LP	Gas Steam Table, 5 Bays-Open Well for LP	72.3" W x 29.5" D x 33.5" H	



ELECTRIC COOKING





Electric Hot Food Tables

Features & Benefits:

- Stainless heating elements
- Includes a 430 series stainless under shelf and 201 series stainless legs
- Adjustable stainless steel feet
- Open well bays accommodates standard size pans (not Included)
- Independent infinite controls
- 1 removable cutting board
- Double Sneeze Guard, Sanitary Guard and Cutting Board Kits available
- Designed to hold pre-cooked foods at safe hot food holding temperature
- 6' cord
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Hot Food Tables

Item #	Description	Dimensions	Price
EST2-1	2 Bay 120V Hot Food Table	27.75" W x 21" D x 14.88" H	
EST3-1	3 Bay 1500w/120V Hot Food Table	44" W x 29.5" D x 33.5" H	
EST4-1	4 Bay 2000w/120V Hot Food Table	58.2" W x 29.5" D x 33.5" H	
EST4-2	4 Bay 3000w/220/240V Hot Food Table	58.2" W x 29.5" D x 33.5" H	
EST5-2	5 Bay 3750w/220/240V Hot Food Table	72.3" W x 29.5" D x 33.5" H	

Optional insert caster for food table only (brake only, sold each).



3B-0050-B-HFT

Double Sneeze Guards



Double Sneeze Guards

Features & Benefits:

Single Guard

- Stainless steel top
- Single sided sneeze guard
- 6mm tempered glass guard
- Allows access to food on one side

Double Guard

- Stainless steel top
- Double sided sneeze guard
- 6 mm tempered glass guard
- Allows access to food on both sides



Double Sneeze Guards

Item #	Description	Dimensions	Price
SG2-1	2 Bay Sneeze Guard	44" W x 10.6" D x 20" H	
SG2-2	2 Bay Double Sneeze Guard	58.2" W x 10.6" D x 20" H	
SG3-1	3 Bay Sneeze Guard	44" W x 10.6" D x 20" H	
SG3-2	3 Bay Double Sneeze Guard	44" W x 10.6" D x 20" H	
SG4-1	4 Bay Sneeze Guard	58.2" W x 10.6" D x 20" H	
SG4-2	4 Bay Double Sneeze Guard	58.2" W x 10.6" D x 20" H	
SG5-1	5 Bay Sneeze Guard	72.3" W x 10.6" D x 20" H	
SG5-2	5 Bay Double Sneeze Guard	72.3" W x 10.6" D x 20" H	



Cutting Board Kits

Features & Benefits:

- Includes stainless shelf, 2 support brackets for shelf and cutting board
- Cutting board removes for easy cleaning



Cutting Board Kits

Item #	Description	Dimensions	Price
CBK-3	Cutting Board Kit Fits EST3-1	44" W x 7" D x 5/8" H	
CBK-4	Cutting Board Kit Fits EST4-1 & EST4-2	58.2" W x 7" D x 5/8" H	
CBK-5	Cutting Board Kit Fits EST5-2	72.3" W x 7" D x 5/8" H	

Electric Convection Oven



Electric Convection Oven

Features & Benefits:

- High-efficiency oven with high-efficiency heating tube, direct forced hot-air system, 220V, 60Hz, one phase
- Electronic temperature controller
- Double layer heat-resistant glass doors and windows with chamber light
- 60 minutes continuous bell timer, also can be manually cut off
- 1/2-1/10HP two-speed air cooling fan & motor
- With electric heating indicator light and power stand-by indicator light
- Stainless steel chamber with arc angles
- 11 removable grid rail, space 1 5/8", 3 chrome net frames
- The top & front part are made of stainless steel
- Black coating steel feet are adjustable
- Independent stainless steel door, double-layer heat-resistant glass window, with separate door handles
- Stainless steel door seal
- Double equipment, superposition device
- Hinged control panel installed in the front, easy to disassemble & repair
- The top, side, back of the oven & the internal are made by industrial durable insulation materials
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Convection Oven

Item #	Description	Dimensions	Price
SECO-2201	Electric Convection Oven	38.11" W x 41.46" D x 54.09" H	
SECO-2201-V	Electric Convection Oven	38.11" W x 41.46" D x 54.09" H	
SECO-STK	Stacking Kit		
STK-2-V	Stacking Kit-V		



Electric Ranges With Oven

Features & Benefits:

- Stainless steel front, galvanized sides
- Electric hotplate, 2.6kw and 2kw combination
- Thermostat (112° - 500°) controlled oven
- 208V / 240V, 1PH
- Spacious static oven cavity
- Top and bottom heating elements
- Welded frame structure for best stability
- Separate controls on the oven
- Adjustable heavy duty legs
- A pull-out crumb tray with angled handle in the front
- Stainless steel oven door with insulation
- Stainless steel handle for bottom oven
- Kick plate at the bottom for easy access for servicing
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Ranges With Oven

Item #	Description	Dimensions	Price
SWER-24	4 Burner Electric Range With Oven	24" W x 33.70" D x 56.85" H	
SWER-36	6 Burner Electric Range With Oven	36" W x 33.70" D x 56.85" H	

Electric Fryer



Electric Fryer

Features & Benefits:

- Stainless steel frying pot, 50 lbs. capacity
- Stainless steel front and galvanized sides
- On/Off power switch
- 12kw flat heating elements for best heat transfer
- 208V / 240V, 1PH
- Deep cold zone with forward sloping bottom
- 1 in. drainage valve
- Oil draining extension
- Cool to touch door handle
- Two baskets
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Fryer

Item #	Description	Dimensions	Price
SWEF-50	Electric Fryer (50lb Size)	15.70" W x 27.20" D x 44" H	



High Speed Oven

Features & Benefits:

- Dual impingement for ultra fast browning and crisping on both sides of the food
- Dual magnetron for high and consistent power output to save heating time
- High Speed Oven uses Inverter
- Technology for the best microwave oven control
- Precisely control and adjust power for proper heating
- 6 cooking stages for more flexible and versatile applications
- 8" HD TFT touch screen, largest screen in its class for easier reading
- Intuitive and Icon control panel eliminates language barriers, just like operating a phone
- Auto top menu function intelligently puts the frequently-used menu groups on top, for instant and convenient access
- Built-in cavity light provides brighter and clearer sight inside the interior
- Air filters are easily removed and cleaned for maintenance
- Large cavity accommodates a 12" pizza with a space-friendly footprint



High Speed Oven

Item #	Description	Dimensions	Price
SWHSO-6KW	High Speed Oven	15.83" W x 20.06" D x 23.94" H	



Microwaves

Features & Benefits:

- Medium Capacity (0.9 cu.ft / 25 L), accommodates a 12" (305 mm) platter
- Able to withstand the demands of the commercial food service environment with stainless steel cabinet and oven cavity
- 1000 Watts of cooking power
- 5 power levels and 3 cooking stages for different cooking demands
- 60:00 maximum cooking time and 100 auto programs can cover most product demands
- M125D user-friendly touch control pads and electronic dial timer with braille navigation or M125TP electronic touch control is great for self-service locations and is ADA compliant
- Time entry option and X2 multiple quantity pad provide manual operation and cooking of multiple portions
- Oven cavity light to monitor cooking status without opening the door
- EZ Grab'n Go door handle for reliable use, no moving parts



Microwaves

Item #	Description	Dimensions	Price
M125D	1000W Dial Control Microwave	15.70" W x 27.20" D x 44" H	
M125TP	1000W Touch Control Microwave	15.70" W x 27.20" D x 44" H	



Electric Heater Proofers

Features & Benefits:

- All welded heavy duty construction
- SC1836HP - full size non-insulated
- SC1836HPI - full size insulated
- UL approved PC clear door
- Door lifts off for easy cleaning and accessibility
- Control panel and easy-to-read LED display on removable bottom control drawer
- Proof mode adjusts humidity between 30% and 100% up to 115°F
- Heat mode with 9 adjustable settings can reach 185°F
- Perfect for storing a wide variety of ready-to-serve dishes
- 36 pan slides accept full size 18" x 26" sheet pans
- Seal in the heat with both magnets and tight-fitting gasket to proper temperature
- Requires a 120V, 1440W electrical connection 15 amp dedicated service
- Comes standard with cord and NEMA 5-15P plug
- Unit ships with casters (2 brake & 2 non brake)
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Heater Proofers

Item #	Description	Dimensions	Price
SC1836HP	Non-Insulated Heater Proofer	21" W x 30.75" D x 68" H	
SC1836HPI	Insulated Heater Proofer	21" W x 30.75" D x 68" H	

Electric Chip Warmers



Electric Chip Warmers

Features & Benefits:

- Door opens creating a shelf for scooping chips
- Sloping front of unit allows secure closure and easy opening
- Wide top opening doors for easy loading of chips
- Fan circulates air for quick and even heating
- Internal baffle minimizes chip breakage
- Fully removable front panel and bottom baffle for quick and easy cleaning
- Top doors, front panel and bottom baffle are removable without tools
- Durable stainless steel construction with high density insulation
- Adjustable rear-mounted thermostat
- Illuminated on/off switch
- Adjustable legs
- Furnished with power cord and NEMA 5-15 plug
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Chip Warmers

Item #	Description	Dimensions	Price
SWCW26	26 gal. Chip Warmer	26.46" W x 30.79" D x 30.32" H	
SWCW46	46 gal. Chip Warmer	26.46" W x 30.79" D x 37.8" H	



Electric Thermostatic Griddles

Features & Benefits:

- Heavy duty stainless steel construction
- Stainless steel heating element for high efficiency
- ½" Steel cooking plate (ETG-16, ETG-24, ETG-30) 1" steel cooking plate (ETG-36)
- Even heating/high heat retention
- Removable grease tray
- Indicator lights for power and heat
- Energy saving high output - highly efficient
- Adjustable 4" heavy duty stainless steel legs
- Temperature range 150°-570° F
- ETG-16, ETG-24 & ETG-30 power cord supplied
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Thermostatic Griddles

Item #	Description	Dimensions	Price
ETG-16	16" Electric T/Stat Griddle	16.14" W x 19.76" D x 9.40" H	
ETG-24	24" Electric T/Stat Griddle	24.13" W x 19.76" D x 9.40" H	
ETG-30	30" Electric T/Stat Griddle	30.15" W x 19.76" D x 9.40" H	
ETG-36*	36" Electric T/Stat Griddle	36.18" W x 19.76" D x 9.40" H	

* ETG-36 must be hardwired. No power cord supplied.

ETG-36 ships 3 phase 208 volt. Can be converted to single 220 - 240 volt.


Planetary Dough Mixers



Planetary Dough Mixers

Features & Benefits:

- Gear driven, high torque transmission
- Three speeds
- Manual timer (20 & 30 quart only)
- Heat-treated hardened steel alloy gears and shafts
- Permanently lubricated transmission
- Thermal overload protection
- Rigid cast iron body
- Stainless steel bowl guard
- Safety interlocked bowl guard and bowl lift
- Industry standard #12 attachment hub (20 & 30 quart only)
- 120 Volt NEMA 5-15P
- ETL listed
- Includes dough hook, beater & wire whip
- 1 year parts & labor warranty



Planetary Dough Mixers

Item #	Description	Size	Price
PM10LA	10 Qt Planetary Dough Mixer	10 quart	
PM20-PTO	20 Qt Planetary Dough Mixer	20 quart	
PM30-PTO	30 Qt Planetary Dough Mixer	30 quart	



Electric Warmer Drawers

Features & Benefits:

- Heavy duty stainless steel construction with 1" thick fiberglass sheet fully insulated
- 11 gauge stainless steel drawer slides with 14 gauge slide brackets makes the drawer jam free
- Accommodates standard size pans 12" x 20" x 4" (included), adjustable "pan supports" accommodates various pan sizes)
- Each drawer individually controlled by LED digital temperature controls to accurately monitor the temperature, indicator lamp and vent controls
- Temperature range of 80° - 220°F
- A unique heating system that provides consistent temperatures makes the food in it remain moist and flavorful for as long as possible
- Available in 1-drawer, 2-drawer, and 3-drawer freestanding models
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Warmer Drawers

Item #	Description	Dimensions	Price
SWPWDS-1*	1 Drawer Warmer	27.75" W x 21" D x 14.88" H	
SWPWDS-2*	2 Drawer Warmer	27.75" W x 21" D x 24.24" H	
SWPWDS-3*	3 Drawer Warmer	27.75" W x 21" D x 33.625" H	

* SWPWDS-1: (1) pan included

* SWPWDS-2: (2) pans included

* SWPWDS-3: (3) pans included

Countertop Electric Food Warmer



Countertop Electric Food Warmer

Features & Benefits:

- Full stainless steel structure
- Compact design which can be easily moved
- Can fit 12" x 20", 4-inches deep pan (Not included in the unit)
- Maintaining food at servable temperature for hours
- Simple dial control knob
- 1200 watt stainless steel heating element provide good power
- Light and portable design
- High limiter for protection of the electrical parts

Countertop Electric Food Warmer


Item #	Description	Size	Price
SWFW-1200	Single Countertop Electric Food Warmer	13.94" W x 21.89" D x 10" H	



Slicer

Features & Benefits:

- 12" hardened alloy knife for durability with dual stone knife sharpener
- Dial adjustable slice thickness (0" - 9/16")
- ½ HP fan cooled with thermal overload protection
- 120 volt NEMA 5-15P
- Belt driven knife
- Non-slip feet
- Removable gravity feed angled chute with safety guard
- Fully covered electrical and belt drive area
- Stain resistant anodized aluminum finish
- Moisture proof ON/OFF switch
- 1 year warranty on parts
- 90-day warranty on labor



Slicer

Item #	Description	Dimensions	Price
SLC-12*	Slicer	12 in. Blade	

*NOTE: Designed for medium volume continuous use with deli meats. Not suitable for slicing cheese, frozen or raw meat.

Electric Panini Grills



Electric Panini Grills

Features & Benefits:

- For grilling/toasting both sides of bread such as panini sandwiches, grilled cheese sandwiches, wraps, quesadillas, toasting bread or garlic bread etc.
- Commercial construction/heavy duty stainless
- Adjustable temperature 120°-570° F
- Cast iron plates
- Removable crumb tray
- Cool touch handle
- Ready light and power light
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Panini Grills

Item #	Description	Dimensions	Price
EPG-100GF	Panini Grill Single Grooved & Flat	16.92" W x 14.56" D x 8.26" H	
EPG-100GG	Panini Grill Single Grooved & Grooved	16.92" W x 14.56" D x 8.26" H	
EPG-200GF	Panini Grill Double Grooved & Flat	22.44" W x 14.56" D x 8.26" H	
EPG-200GG	Panini Grill Double Grooved & Grooved	22.44" W x 14.56" D x 8.26" H	



Electric Convection Ovens

Features & Benefits:

- Holds 3, 1/4" size sheet pans, not included (ECO-21)
- Holds 4, 1/2" size sheet pans, not included (ECO-47, ECO-66)
- Great for baking, warming and defrosting
- Heavy duty stainless steel interior and exterior
- Manual knob control
- 0-120 minute timer
- Indication lights for power and when ready
- Dual wall - high performance double insulated
- Dual pane glass door
- Forced air convection - high efficiency
- Temperature range 150°-500° F
- Cool touch aluminum handle
- 3 removable chrome wire racks included (ECO-21)
- 4 removable chrome wire racks included (ECO-47 & ECO-66)
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Convection Ovens

Item #	Description	Dimensions	Price
ECO-21	Electric Convection Oven 1/4 Size	18.625" W x 19.25" D x 14.875" H	
ECO-47	Electric Convection Oven 1/2 Size	22.875" W x 22" D x 15.875" H	
ECO-66	Electric Convection Oven 1/2 Size	22.875" W x 22" D x 20.125" H	

Electric Fryers



Electric Fryers

Features & Benefits:

- Stainless steel construction
- Stainless steel heating element for high efficiency basin / 1 basket (EF-06L) and 2 Basins / 2 Baskets (EF-06L-2)
- Removable head
- Temperature range 120°-375°F (High limit protection)
- 1 year parts & labor warranty
- 1 year replacement warranty



Electric Fryers

Item #	Description	Dimensions	Price
EF-06L	6L/10lbs. Electric Fryer Single Tank	9.84" W x 18.11" D x 14.56" H	
EF-06L-2	6L + 6L/20lbs. Elec. Fryer Double Tank	20.86" W x 18.11" D x 14.56" H	



Electric Hot Dog Steamers

Features & Benefits:

- Commercial stainless steel construction
- Pre-cooking time 15-45 minutes
- Temperature range 85°-175°F
- Top loading for easy food accessibility
- Steam control plate
- Large 8 quart reservoir capacity
- Water removal by front drain valve
- Indicator lights for power and heating
- Energy saving high output - highly efficient
- 5 ft cord and plug included 120V, 1450W
- 1 year parts & labor warranty
- 1 year replacement warranty




Electric Hot Dog Steamers

Item #	Description	Dimensions	Price
EHS-01	Electric Steamer - 100 Hot Dogs/48 Buns	18.25" W x 14.25" D x 15.75" H	
EHS-02	Electric Steamer - 200 Hot Dogs/60 Buns	18.25" W x 14.25" D x 19.25" H	



STAINLESS STEEL





CWP-4-T-V Series
Work Table Example

"Boxed End"
Turn-up

With 2" Turn-Up



CWP-4-V Series
Work Table Example

Standard Series Work Tables With 2" Turn-Up

Item #	Dimensions	Price
T2424CWP-4-T-V	24" x 24"	
T2430CWP-4-T-V	24" x 30"	
T2436CWP-4-T-V	24" x 36"	
T2448CWP-4-T-V	24" x 48"	
T2460CWP-4-T-V	24" x 60"	
T2472CWP-4-T-V	24" x 72"	
T2496CWP-4-T-V	24" x 96" with 6 Legs	
T3024CWP-4-T-V	30" x 24"	
T3030CWP-4-T-V	30" x 30"	
T3036CWP-4-T-V	30" x 36"	
T3048CWP-4-T-V	30" x 48"	
T3060CWP-4-T-V	30" x 60"	
T3072CWP-4-T-V	30" x 72"	
T3084CWP-4-T-V	30" x 84"	
T3096CWP-4-T-V	30" x 96" with 6 Legs	

18 gauge 304 stainless top with galvanized under shelf & galvanized legs

Economy Series Work Tables

Item #	Dimensions	Price
T1824CWP-4-V	18" x 24"	
T1830CWP-4-V	18" x 30"	
T1836CWP-4-V	18" x 36"	
T1848CWP-4-V	18" x 48"	
T1860CWP-4-V	18" x 60"	
T1872CWP-4-V	18" x 72"	
T1896CWP-4-V	18" x 96"	
T2424CWP-4-V	24" x 24"	
T2430CWP-4-V	24" x 30"	
T2436CWP-4-V	24" x 36"	
T2448CWP-4-V	24" x 48"	
T2460CWP-4-V	24" x 60"	
T2472CWP-4-V	24" x 72"	
T2496CWP-4-V	24" x 96"	
T3024CWP-4-V	24" x 72"	
T3030CWP-4-V	30" x 30"	
T3036CWP-4-V	30" x 36"	
T3048CWP-4-V	30" x 48"	
T3060CWP-4-V	30" x 60"	
T3072CWP-4-V	30" x 72"	
T3096CWP-4-V	30" x 96"	

18 gauge 304 stainless top with galvanized under shelf & galvanized legs

Stainless Steel Work Tables



Economy Series Work Tables



Item #	Dimensions	Price
T2424CWP-4-V	24" x 24"	
T2430CWP-4-V	24" x 30"	
T2436CWP-4-V	24" x 36"	
T2448CWP-4-V	24" x 48"	
T2460CWP-4-V	24" x 60"	
T2472CWP-4-V	24" x 72"	
T2496CWP-4-V	24" x 96" with 6 Legs	
T3024CWP-4-V	30" x 24"	
T3030CWP-4-V	30" x 30"	
T3036CWP-4-V	30" x 36"	
T3048CWP-4-V	30" x 48"	
T3060CWP-4-V	30" x 60"	
T3072CWP-4-V	30" x 72"	
T3096CWP-4-V	30" x 96" with 6 Legs	

18 gauge 304 stainless top with galvanized under shelf & galvanized legs



All Stainless Steel Work Tables

Item #	Dimensions	Price
T3024CWP-18S-V	30" x 24"	
T3030CWP-18S-V	30" x 30"	
T3036CWP-18S-V	30" x 36"	
T3048CWP-18S-V	30" x 48"	
T3060CWP-18S-V	30" x 60"	
T3072CWP-18S-V	30" x 72"	
T3096CWP-18S-V	30" x 96"	

16 gauge 304 stainless top & 18 gauge 430 stainless under shelf & stainless legs

FTG Series
Filler Table Example



Equipment Filler Table



Item #	Dimensions	Price
FTG-3012-4	30" D x 12" W x 34" H	
FTG-3015-4	30" D x 15" W x 34" H	
FTG-3018-4	30" D x 18" W x 34" H	

18 gauge 430 stainless top with galvanized under shelf & galvanized legs

CWP Economy
Eq. Stand Example



Economy Equipment Stands



Item #	Dimensions	Price
ESG3012W-CWP-V	30" D x 12" W x 24" H	
ESG3024W-CWP-V	30" D x 24" W x 24" H	
ESG3036W-CWP-V	30" D x 36" W x 24" H	
ESG3048W-CWP-V	30" D x 48" W x 24" H	
ESG3060W-CWP-V	30" D x 60" W x 24" H	
*ESG3072W-CWP-V	30" D x 72" W x 24" H	

*18 gauge 430 stainless top with galvanized under shelf & galvanized legs. * 6 Legs*

CWP Deluxe
Eq. Stand Example



Deluxe Equipment Stands All Stainless



Item #	Dimensions	Price
ESS2424W-CWP-V	24" D x 24" W x 24" H	
ESS2436W-CWP-V	24" D x 36" W x 24" H	
ESS2448W-CWP-V	24" D x 48" W x 24" H	
ESS2460W-CWP-V	24" D x 60" W x 24" H	
*ESS2472W-CWP-V	24" D x 72" W x 24" H	
ESS3024W-CWP-V	30" D x 24" W x 24" H	
ESS3036W-CWP-V	30" D x 36" W x 24" H	
ESS3048W-CWP-V	30" D x 48" W x 24" H	
ESS3060W-CWP-V	30" D x 60" W x 24" H	
*ESS3072W-CWP-V	30" D x 72" W x 24" H	

*16 gauge 304 stainless top with 18 gauge 430 stainless undershelf & stainless legs. * 6 Legs*



Overshelf for Work Tables



Item #	Dimensions	Price
OS-3E-CWP	36" W x 12" D	
OS-4E-CWP	48" W x 12" D	
OS-5E-CWP	60" W x 12" D	
OS-6E-CWP	72" W x 12" D	
18 gauge		



Overshelf for Pizza Prep Tables



Item #	Description	Size	Price
PPOS-44	Only Fits PP44-6-HC	17.25" W x 47.5" D	
PPOS-67	Only Fits PP67-9-HC	17.25" W x 78.88" D	



Stainless Steel Drawers



Item #	Description	Price
SSD-24-CWP	For 24" Deep Worktables (fits 30" wide and up)	
SSD-30-CWP	For 30" Deep Worktables (fits 36" wide and up)	
16 gauge		

48" Table with Sink Example



48" Tables with Sink



1 Bowl

Available with optional waste valve

Item #	Bowl W x D x H	Back Splash	Overall Length	Price
TSF-3048-L	16" x 20" x 12"	5"	48"	
TSF-3048-R	16" x 20" x 12"	5"	48"	
Table Dimensions				
48" W x 30" D x 35.5" H				

16 gauge 304 stainless top shelf, 16 Gauge 304 stainless 1 left / right fabricated tub.
 18 gauge 430 stainless hat channel, stainless leg and socket, stainless bullet feet.
 Rounded edge / bullnose edge. Deck-mounted faucet DFY12-CWP, 4" centers, swing nozzle, 12" long spout (low lead) included. 3.5" drain basket included.

60" Table with Sink Example



60" Tables with Sink



1 Bowl

Available with optional waste valve

Item #	Bowl W x D x H	Back Splash	Overall Length	Price
TSF-3060-L	16" x 20" x 12"	5"	60"	
TSF-3060-R	16" x 20" x 12"	5"	60"	
Table Dimensions				
60" W x 30" D x 35.5" H				

16 gauge 304 stainless top shelf, 16 Gauge 304 stainless 1 left / right fabricated tub.
 18 gauge 430 stainless hat channel, stainless leg and socket, stainless bullet feet.
 Rounded edge / bullnose edge. Deck-mounted faucet DFY12-CWP, 4" centers, swing nozzle, 12" long spout (low lead) included. 3.5" drain basket included.

72" Table with Sink Example



72" Tables with Sink



1 Bowl

Available with optional waste valve

Item #	Bowl W x D x H	Back Splash	Overall Length	Price
TSF-3072-L	16" x 20" x 12"	5"	72"	
TSF-3072-R	16" x 20" x 12"	5"	72"	
Table Dimensions				
72" W x 30" D x 35.5" H				

16 gauge 304 stainless top shelf, 16 Gauge 304 stainless 1 left / right fabricated tub.
 18 gauge 430 stainless hat channel, stainless leg and socket, stainless bullet feet.
 Rounded edge / bullnose edge. Deck-mounted faucet DFY12-CWP, 4" centers, swing nozzle, 12" long spout (low lead) included. 3.5" drain basket included.




Slant Racks



Item #	Dimensions	Price
SR21-CWP	21" W	
SR42-CWP	42" W	
SR63-CWP	63" W	

18 gauge 304 stainless



Tubular Slant Racks



Item #	Dimensions	Price
SRT22-CWP	22" W x 18" D	
SRT42-CWP	42" W x 18" D	
SRT62-CWP	62" W x 18" D	

16 gauge 430 stainless, 18 gauge support tubes



Microwave Shelves



Item #	Dimensions	Price
SSMS1824-CWP	24" W x 18" D	
SSMS2424-CWP	24" W x 24" D	

18 gauge 304 stainless




Wall Shelves



12"		
Item #	Dimensions	Price
SSWS1224-CWP-V	24" W x 12" D	
SSWS1236-CWP-V	36" W x 12" D	
SSWS1248-CWP-V	48" W x 12" D	
SSWS1260-CWP-V	60" W x 12" D	
SSWS1272-CWP-V	72" W x 12" D	
SSWS1284-CWP-V	84" W x 12" D	
SSWS1296-CWP-V	96" W x 12" D	
14"		
SSWS1424-CWP-V	24" W x 14" D	
SSWS1436-CWP-V	36" W x 14" D	
SSWS1448-CWP-V	48" W x 14" D	
SSWS1460-CWP-V	60" W x 14" D	
SSWS1472-CWP-V	72" W x 14" D	
SSWS1484-CWP-V	84" W x 14" D	
SSWS1496-CWP-V	96" W x 14" D	

18 gauge 430 stainless



Pot Hook Racks



Single		
Item #	Description	Price
SW1-24-CWP-8	24" Single Bar with 2 Hooks	
SW1-36-CWP-8	36" Single Bar with 3 Hooks	
SW1-48-CWP-8	48" Single Bar with 4 Hooks	
SW1-60-CWP-8	60" Single Bar with 5 Hooks	

304 stainless

Hand Sinks With Splash Guards, Drop In & Compact Series



Hand Sinks



Item #	# of Bowls	Bowl W x D	Bowl Depth	Price
HS10-CWP	1	9" x 9"	5"	
HS15-CWP	1	10" x 15"	5"	

Hand sink comes with faucet, basket strainer & mounting bracket. 18 gauge 304 stainless top

Hand Sinks with Double Splash Guard



Item #	# of Bowls	Bowl W x D	Bowl Depth	Price
HS10S-CWP	1	9" x 9"	5"	
HS15S-CWP	1	15" x 10"	5"	
HS15-CWP-SS		Wall mount Sidesplash	13" x 15"	

Hand sink comes with faucet, basket strainer & mounting bracket

18 Gauge, 304 Stainless Top
20 Gauge, 304 Stainless Bowl

Drop In Series with Faucet



1 Bowl					
					Comes with faucet
Item #	# of Bowls	Bowl W x D	Bowl Depth	Overall Length	Price
DIS-1C10145-CWP-V	1	10" x 14"	5"	12"	
DIS-1C1014-CWP-V	1	10" x 14"	10"	12"	
3 Bowl					
DIS-3C1014-CWP-V	3	10" x 14"	10"	36"	
DIS-3C1620-CWP-V	3	16" x 20"	10"	55"	

16 gauge 304 stainless Top - 18 gauge 304 stainless bowl

Compact Series

Deli / Convenient Store Sink



3 Bowl						
						Optional waste valve available
Item #	# of Bowls	Bowl W x D	Drain Board	Bowl Depth	Overall Length	Price
CS3CWP1410-V	3	10" x 14"	N/A	10"	39"	
CS3CWP1410212-V	3	10" x 14"	2 x 12"	10"	58"	
CS3CWP1614212-V	3	14" x 16"	2 x 12"	11"	70"	
CS3CWP2012212-V	3	12" x 20"	2 x 12"	12"	64"	

18 gauge 304 stainless



12" Deep Economy Series
1 Bowl Example



12" Deep Economy Series
2 Bowl Example



12" Deep Economy Series
3 Bowl Example



12" Deep Economy Series

1 Bowl Optional waste valve available					
Item #	# of Bowls	Bowl W x D	Drain Board	Overall Length	Price
D1CWP1620-V	1	16" x 20"	N/A	21"	
D1CWP1620L-18-V	1	16" x 20"	18" Left	36.5"	
D1CWP1620R-18-V	1	16" x 20"	18" Right	36.5"	
D1CWP1818-V	1	18" x 18"	N/A	23"	
D1CWP1818L-18-V	1	18" x 18"	18" Left	38.5"	
D1CWP1818R-18-V	1	18" x 18"	18" Right	38.5"	
2 Bowl Optional waste valve available					
D2CWP1620-V	2	16" x 20"	N/A	37"	
D2CWP1818L-18-V	2	18" x 18"	18" Left	56.5"	
D2CWP18182-18-V	2	18" x 18"	2 x 18"	72"	
3 Bowl Optional waste valve available					
D3CWP1620-V	3	16" x 20"	N/A	53"	
D3CWP1620L-18-V	3	16" x 20"	18" Left	68.5"	
D3CWP1620R-18-V	3	16" x 20"	18" Right	68.5"	
D3CWP16202-18-V	3	16" x 20"	2 x 18"	84"	
D3CWP1818-V	3	18" x 18"	N/A	59"	
D3CWP1818L-18-V	3	18" x 18"	18" Left	74.5"	
D3CWP1818R-18-V	3	18" x 18"	18" Right	74.5"	
D3CWP18182-18-V	3	18" x 18"	2 x 18"	90"	

18 gauge 304 stainless

Deep Corner & Economy Series Sinks

14" Deep Economy Series
1 Bowl Example



14" Deep Economy Series
2 Bowl Example



14" Deep Economy Series



1 Bowl				Optional waste valve available	
Item #	# of Bowls	Bowl W x D	Drain Board	Overall Length	Price
E1CWP1818-V	1	18" x 18"	N/A	23"	
E1CWP1818L-18-V	1	18" x 18"	18" Left	38.5"	
E1CWP1818R-18-V	1	18" x 18"	18" Right	38.5"	
E1CWP18182-18-V	1	18" x 18"	2 x 18"	54"	
E1CWP1818L-24-V	1	18" x 18"	24" Left	44.5"	
E1CWP1824-V	1	18" x 24"	N/A	23"	
E1CWP1824L-24-V	1	18" x 24"	24" Left	44.5"	
E1CWP1824R-24-V	1	18" x 24"	24" Right	44.5"	
E1CWP2424-V	1	24" x 24"	N/A	29"	
E1CWP2424R-24-V	1	24" x 24"	24" Right	50.5"	
2 Bowl				Optional waste valve available	
E2CWP18182-18-V	2	18" x 18"	2 x 18"	72"	

18 gauge 304 stainless



14" Deep Economy Series



14" Deep Economy Series
3 Bowl Example

3 Bowl				Optional waste valve available	
Item #	# of Bowls	Bowl W x D	Drain Board	Overall Length	Price
E3CWP15152-15-V	3	15" x 15"	2 x 15"	75"	
E3CWP1818-V	3	18" x 18"	N/A	59"	
E3CWP18182-18-V	3	18" x 18"	2 x 18"	90"	
E3CWP18182-24-V	3	18" x 18"	2 x 24"	102"	
E3CWP1824-V	3	18" x 24"	N/A	59"	
E3CWP18242-18-V	3	18" x 24"	2 x 18"	90"	
E3CWP18242-24-V	3	18" x 24"	2 x 24"	102"	
*E3CWP24242-24-V	3	24" x 24"	2 x 24"	120"	

18 gauge 304 stainless. * Cut for 2 faucets




1C14H2448

14" Deep Heavy Duty Series



1 Bowl				Optional waste valve available		
Item #	# of Bowls	Bowl W x D	Drain Board	Bowl Depth	Overall Length	Price
1C14H2448-V	1	48" x 24"	N/A	14"	53"	

18 gauge 304 stainless. * Cut for 2 faucets



14" Deep Heavy Duty Series
1 Bowl Example

14" Deep Heavy Duty Series

1 Bowl				Optional waste valve available	
Item #	# of Bowls	Bowl W x D	Drain Board	Overall Length	Price
1CWPH1818R-18-V	1	18" x 18"	18" Right	38"	
1CWPH1824L-18-V	1	18" x 24"	18" Left	39"	
1CWPH1824R-18-V	1	18" x 24"	18" Right	39"	
1CWPH1824L-24-V	1	18" x 24"	24" Left	46"	
1CWPH1824R-24-V	1	18" x 24"	24" Right	46"	

3 Bowl				Optional waste valve available	
Item #	# of Bowls	Bowl W x D	Drain Board	Overall Length	Price
3CWPH18242-24-V	3	18" x 24"	2 x 24"	106"	
3CWPH20282-30-V	3	20" x 28"	2 x 36"	124"	
3CWPH24242-24-V	3	24" x 24"	2 x 24"	124"	

16 gauge 304 stainless. * Cut for 2 faucets



14" Deep Heavy Duty Series
3 Bowl Example

Basket, Clean & Soiled Sinks



Basket with Slides



Item #	Dimensions	Price
SSB2025-CWP-V	21.375" W x 19.5" D x 5" H	
16 gauge 304 stainless		



Clean Dish Tables



Item #	Overall Length	Price
CDT24L-CWP-V	24"	
CDT24R-CWP-V	24"	
CDT36L-CWP-V	36"	
CDT36R-CWP-V	36"	
CDT48L-CWP-V	48"	
CDT48R-CWP-V	48"	
16 gauge 304 stainless		



Soiled Dish Tables



Item #	Overall Length	Price
DDT36L-CWP-V	36"	
DDT36R-CWP-V	36"	
DDT48L-CWP-V	48"	
DDT48R-CWP-V	48"	
16 gauge 304 stainless		

Budget Sinks
1 Bowl Example



Budget Sinks
3 Bowl Example



Mop Sinks Example



Budget Sinks - Non NSF



1 Bowl		Optional waste valve available			
Item #	# of Bowls	Bowl W x D	Bowl Depth	Overall Length	Price
BS1-1818-V	1	18" x 18"	13"	21"	
BS1-1821-V	1	18" x 21"	13"	20"	
BS1-2424-V	1	24" x 24"	13"	27"	
3 Bowl					
BS3-1221-V	3	12" x 21"	13"	39"	
BS3-1821-V	3	18" x 21"	13"	57"	

18 gauge 430 stainless

Mop Sinks



Item #	Dimensions	Price
MS162012-CWP-V	25" W x 21" D x 16" H	

Service faucet available

Bar Sinks & Accessories

Bar Sink
1 Bowl Example



Bar Sink
2 Bowl Example



Bar Sink
3 Bowl Example



Bar Sink Overflow
Pie Example



Wall Mount
Faucet Example



Bar Series



1 Bowl

Faucets and overflow pipes sold separately, see below

Item #	# of Bowls	Bowl W x D	Drain Board	Bowl Depth	Overall Length	Price
BAR1B14-CWP-V	1	10" x 14"	N/A	5"	14.5"	
BAR1B24-L-CWP-V	1	10" x 14"	12" Left	10"	24"	
BAR1B24-R-CWP-V	1	10" x 14"	12" Right	10"	24"	

3 Bowl

BAR3B38-CWP-V	3	10" x 14"	N/A	10"	38.5"	
BAR3B48-L-CWP-V	3	10" x 14"	12" Left	10"	48"	
BAR3B48-R-CWP-V	3	10" x 14"	12" Right	10"	48"	
BAR3B60-LR-CWP-V	3	10" x 14"	2 x 13"	10"	60"	

4 Bowl

*BAR4B72-LR-CWP-V	4	10" x 14"	2 x 13"	10"	72"	
-------------------	---	-----------	---------	-----	-----	--

18 gauge 304 stainless Top, Bowl & Back - 20 gauge 304 stainless Apron.* Cut for 2 faucets

Bar Sink Accessories



Item #	Description	Price
OFP-8-CWP	8" Overflow Pipe for Bar Sinks	
DTF4-6-CWP	4" Wall Mount Faucet with a 6" Spout	
DTF4-8-CWP	4" Wall Mount Faucet with a 8" Spout	
DTF4-10-CWP	4" Wall Mount Faucet with a 10" Spout	
DTF4-12-CWP	4" Wall Mount Faucet with a 12" Spout	
DTF4-14-CWP	4" Wall Mount Faucet with a 14" Spout	

Wall Mount
Pre-Rinse Example



Wall Mount Pre-Rinse Faucet



Item #	Description	Price
PRW8-CWP-E	8" Center Faucet, Economy	
PRW8-CWP	8" Center Faucet, Heavy Duty	

PRS4-CWP



Deck Mount Pre-Rinse Faucet



Item #	Description	Price
PRS4-CWP	4" Center Faucet	

Add-On Faucet for
Pre-Rinse Example



Add-On Faucet for Pre-Rinse



Item #	Description	Price
AF08-CWP	Faucet with 8" Spout	
AF12-CWP	Faucet with 12" Spout	
AF16-CWP	Faucet with 16" Spout	

For models PRW8 & PRS4 only

Add-On Faucet for
Pre-Rinse Example



Wall Mount Faucets



Item #	Description	Price
WF08-CWP	Faucet with 8" Spout	
WF10-CWP	Faucet with 10" Spout	
WF12-CWP	Faucet with 12" Spout	
WF14-CWP	Faucet with 14" Spout	
WF16-CWP	Faucet with 16" Spout	

For models PRW8 & PRS4 only



Wall Mount Faucet Kit

Item #	Description	Price
WFMK-CWP	Wall Mount Faucet Kit	
<i>* Needed for wall mounts & pre-rinse faucets</i>		



Hand Sink Faucet

NSF

Item #	Description	Price
PFW4G-CWP	Replacement Faucet for Hand Sink or Other Wall Application	
<i>For HS10 sink with sidesplash, requires FP1030</i>		



Deck Mount Faucets

NSF

Item #	Description	Price
DFY10-CWP	Faucet with 10" Spout	
DFY12-CWP	Faucet with 12" Spout	



Mop Sink Service Faucet

NSF

Item #	Description	Price
SF1000	Faucet with 8" Center	



Waste Valve with Overflow Cap

NSF

Item #	Description	Price
5D-35T-20A	Waste Valve with Overflow Twist Cap	
<i>Comes with adapter</i>		



Coupling Flanges

Item #	Description	Price
SSFV-CWP	Foot Valve	



Knee Valve

Item #	Description	Price
SSKV-CWP	Knee Valve	



Knee Valve with Goose Neck Faucet

Item #	Description	Price
SSKV-GF	Knee Valve with Goose Neck Faucet	



Double Jointed Faucet

Item #	Description	Price
AF-18DJ-CWP	10" Double Jointed Faucet	

Silver Epoxy Wire Shelving

Silver Epoxy Wire Shelving
10 Year Warranty



Silver Epoxy Wire Shelving Example



14"		Dimensions	
Item #		D x W	Price
SL1424CWP		14" x 24"	
SL1430CWP		14" x 30"	
SL1436CWP		14" x 36"	
SL1442CWP		14" x 42"	
SL1448CWP		14" x 48"	
SL1454CWP		14" x 54"	
SL1460CWP		14" x 60"	
SL1472CWP		14" x 72"	
18"			
SL1824CWP		18" x 24"	
SL1830CWP		18" x 30"	
SL1836CWP		18" x 36"	
SL1842CWP		18" x 42"	
SL1848CWP		18" x 48"	
SL1854CWP		18" x 54"	
SL1860CWP		18" x 60"	
SL1872CWP		18" x 72"	
21"			
SL2124CWP		21" x 24"	
SL2130CWP		21" x 30"	
SL2136CWP		21" x 36"	
SL2142CWP		21" x 42"	
SL2148CWP		21" x 48"	
SL2154CWP		21" x 54"	
SL2160CWP		21" x 60"	
SL2172CWP		21" x 72"	
24"			
SL2424CWP		24" x 24"	
SL2430CWP		24" x 30"	
SL2436CWP		24" x 36"	
SL2442CWP		24" x 42"	
SL2448CWP		24" x 48"	
SL2454CWP		24" x 54"	
SL2460CWP		24" x 60"	
SL2472CWP		24" x 72"	
30"			
SL3036CWP		30" x 36"	
SL3048CWP		30" x 48"	
SL3060CWP		30" x 60"	
SL3072CWP		30" x 72"	



Silver Epoxy Posts




Item #	Description	Price
SL14CWP	14" Post	
SL34CWP	34" Post	
SL54CWP	54" Post	
SL63CWP	63" Post	
SL74CWP	74" Post	
SL86CWP	86" Post	



Silver Epoxy Wall Brackets

Item #	Description	Qty	Price
SLWB14-CWP	14" Single Bracket	2	
SLWB18-CWP	18" Single Bracket	2	
SLWB21-CWP	21" Single Bracket	2	
SLWB24-CWP	24" Single Bracket	2	
SLDWMB14-CWP	14" Double Bracket	1	
SLDWMB18-CWP	18" Double Bracket	1	
SLDWMB21-CWP	21" Double Bracket	1	
SLDWMB24-CWP	24" Double Bracket	1	

Creative Wire Shelving Configurations



Green Epoxy Anti-Microbial Wire Shelving

Green Epoxy Wire Shelving
10 Year Warranty



Anti-Microbial




14"		
Item #	Size D x W	Price
GR1424CWP	14" x 24"	
GR1430CWP	14" x 30"	
GR1436CWP	14" x 36"	
GR1442CWP	14" x 42"	
GR1448CWP	14" x 48"	
GR1454CWP	14" x 54"	
GR1460CWP	14" x 60"	
GR1472CWP	14" x 72"	
18"		
GR1824CWP	18" x 24"	
GR1830CWP	18" x 30"	
GR1836CWP	18" x 36"	
GR1842CWP	18" x 42"	
GR1848CWP	18" x 48"	
GR1854CWP	18" x 54"	
GR1860CWP	18" x 60"	
GR1872CWP	18" x 72"	
21"		
GR2124CWP	21" x 24"	
GR2130CWP	21" x 30"	
GR2136CWP	21" x 36"	
GR2142CWP	21" x 42"	
GR2148CWP	21" x 48"	
GR2154CWP	21" x 54"	
GR2160CWP	21" x 60"	
GR2172CWP	21" x 72"	
24"		
GR2424CWP	24" x 24"	
GR2430CWP	24" x 30"	
GR2436CWP	24" x 36"	
GR2442CWP	24" x 42"	
GR2448CWP	24" x 48"	
GR2454CWP	24" x 54"	
GR2460CWP	24" x 60"	
GR2472CWP	24" x 72"	
30"		
GR3036CWP	30" x 36"	
GR3048CWP	30" x 48"	
GR3060CWP	30" x 60"	
GR3072CWP	30" x 72"	



Green Epoxy Posts



Item #	Description	Price
GR14CWP	14" Post	
GR34CWP	34" Post	
GR54CWP	54" Post	
GR63CWP	63" Post	
GR74CWP	74" Post	
GR86CWP	86" Post	




Green Epoxy Wall Brackets

Item #	Description	Qty	Price
GRWB14-CWP	14" Single Bracket	2	
GRWB18-CWP	18" Single Bracket	2	
GRWB21-CWP	21" Single Bracket	2	
GRWB24-CWP	24" Single Bracket	2	
GRDWMB14-CWP	14" Double Bracket	1	
GRDWMB18-CWP	18" Double Bracket	1	
GRDWMB21-CWP	21" Double Bracket	1	
GRDWMB24-CWP	24" Double Bracket	1	

Creative Wire Shelving Configurations



Chrome Wire Shelving Example




Chrome Wire Shelving 10 Year Warranty



24"		Size	
Item #		D x W	Price
CH2436CWP *		24" x 36"	
CH2448CWP *		24" x 48"	

**Fits Security Cages SC36SL-CWP & SC48SL-CWP*

Security Cages Example




Security Cages



Item #	Dimensions	Price
SC36SL-CWP	36" W x 24" D x 63" H	
SC48SL-CWP	48" W x 24" D x 63" H	

** CH2436CWP & CH2448CWP Fits.
Additional casters available. part # HRC-05.
Additional shelves available. See first section on current page above.



Foot Plate

Item #	Description	Price
CWP-FP	Foot Plate (Sold as Each)	



S Hooks

Item #	Description	Price
CWP-SH	S Hooks (Set of 4)	



Label Holders

Item #	Description	Price
ABM3	3" Label Holder (Sold as Each)	



Caster Set : Two Brake, Two Non-Brake

Item #	Description	Price
HRC-05	Heavy Duty 5" Caster with Rubber Bumper	
<i>For wire shelving only</i>		



Clear PVC Shelf Mats

Item #	D x W	Price
SMC1836CWP	18" x 36"	
SMC1848CWP	18" x 48"	
SMC1872CWP	18" x 72"	
SMC2436CWP	24" x 36"	
SMC2448CWP	24" x 48"	
SMC2472CWP	24" x 72"	

Aluminum Racks

CWP-APR-10EL



CWP-APR-20EL



Aluminum Pan Racks



Item #	Description	Price
CWP-APR-10EL-V	10 Tier Rack w/ Casters	
CWP-APR-20EL-V	20 Tier Rack w/ Casters	

Ships flat

CWP-RR-07



CWP-RR-16



Aluminum Refrigerator Pan Racks



Item #	Description	Price
CWP-RR-07 *	7 Pan	
CWP-RR-16 *	15 Pan	

Ships flat. Can not put casters on these racks

**Pan Racks must be built inside of refrigeration unit.*

Aluminum Dunnage Racks
Example



Aluminum Dunnage Racks



Item #	Dimensions	Price
CWP-DR-203612-V	20" D x 36" W x 12" H	
CWP-DR-204812-V	20" D x 48" W x 12" H	
CWP-DR-206012-V	20" D x 60" W x 12" H	
CWP-DR-243612-V	24" D x 36" W x 12" H	
CWP-DR-244812-V	24" D x 48" W x 12" H	
CWP-DR-246012-V	24" D x 60" W x 12" H	

Ships as shown





Insert Casters

Item #	Description	Price
3B-0050-B HFT	3" Wheel 1 ⁵ / ₈ " Insert For Hot Tables Only	
4B-0050	4" Wheel 1 ⁵ / ₈ " Insert	
4B-0050-B	4" Wheel 1 ⁵ / ₈ " Insert	
5B-0050	5" Wheel 1 ⁵ / ₈ " Insert	
5B-0050-B	5" Wheel 1 ⁵ / ₈ " Insert For Tables Only	
<i>Polypropylene wheel, polyurethane hub</i>		



Universal Plate Casters for Fryer & Range

Item #	Description	Price
5SB-3535	3 ¹ / ₂ " Plate Casters w/ Brake	
5SB-4040	4" Plate Caster w/ Brake	
<i>Hard rubber</i>		





3 Tier Stainless Steel Cart



Item #	Description	Price
UC-1630S3A	24 Gauge, 16" x 30"	
UC-1834M3A	24 Gauge, 18" x 34"	
UC-2037L3B	22 Gauge, 20" x 37"	
<i>201 stainless steel</i>		



3 Tier Plastic Bus Cart

Item #	Dimensions	Price
BC-100B-CWP	28" W x 16" D x 38" H	

Serv-Ware Products Trade Terms & Conditions

PRICING

All prices are subject to change without notice. Order placed for future delivery may be subject to change. We are not responsible for any printers' errors. Possession of our Price List or Net Flyer does not constitute an offer to sell.

ORDERS & BACK ORDERS

Serv-Ware Products does not have a minimum order charge. We do not have an order cutoff time; we strive to ship every order the same day. We accept orders by phone, fax or email, which ever is most convenient for your company. Any duplication of orders not marked "confirmation" is the responsibility of your company. Back orders do not qualify for Free Freight unless it meets the requirements stated above. Email all purchase orders to sw-info@servware.com.

RETURN POLICY

Returns will not be accepted without prior authorization from our customer service department. All returns must show the return authorization number on the shipping label or packing slip. Merchandise returned without an authorization number will not be accepted. Return merchandise must be in saleable condition. Credit will not be issued for used, obsolete or shelf worn merchandise. All authorized returns must be sent freight prepaid and will be subject to minimum of 25% restocking fee. On items returned after 30 days of invoice, the restocking fee will be at our discretion. Items older than 6 months of invoice date are not eligible for return. Free Freight orders are credited less freight cost.

ACCOUNT TERMS

Payment terms are net 30 days for approved customers. Contact customer service for credit application. New accounts please allow 3 to 5 business days to check credit. A 1.5% per month service charge will be applied to all invoices 30 days or more past due. The buyer agrees to pay all applicable attorney and collection fees. A \$50 charge will be issued for returned checks. We will not accept any charge backs or penalties deducted from payment without written authorization from our corporate office.

WARRANTY

Visit our website at www.servware.com or see individual spec sheets for details.



407 Jeffrey's Lane
Goldsboro, NC 27530



2026

PRODUCT CATALOG

Call Toll Free
800.768.5953

Fax Toll Free
800.976.1299

www.servware.com
sw-info@servware.com

